



### MAIN AREA WATERPROOFING



### NOTES

- 1** METAL SLEEVE TRIM MECHANICALLY FIXED TO SUBSTRATE ALLOWING FOR VENTED AIR GAP OR HEAT RESISTANT INSULATION ADJACENT TO FLUE / PIPE
- 2** METAL APRON FLASHING MECHANICALLY FIXED TO FLUE / PIPE ALLOWING FOR VENTED AIR GAP
- 3** SEALED MECHANICAL FIXINGS



**GENERAL NOTES**

This drawing and any reference to structural / thermal elements should be treated as indicative only and read in conjunction with the Triflex Project specification proposal and relevant Triflex technical data. Details should be verified for accuracy and suitability as we specifically exclude any liability for errors, omissions or otherwise.

The drawing should not be reproduced or amended except with the written permission of Triflex. Do not scale, use figured dimensions only, and check all dimensions on site.



**SYSTEM**  
 TRIFLEX PRODETAIL®

**PROJECT**  
 STANDARD

**DETAIL**  
 HIGH TEMPERATURE (GREATER THAN 90°C) FLUE PIPE / PENETRATION

**DRAWING NUMBER**  
 PRODETAIL\_059\_HIGH TEMPERATURE\_GREATER THAN 90\_C\_FLUE PIPE\_PENETRATION

<b>SCALE</b> NTS	<b>DATE</b> 26/06/2018
---------------------	---------------------------



ROOFS | ROOF DETAILS | REPAIRS

**Triflex**  
 Delivering solutions together.

Triflex (UK) Limited  
 Whitebridge Way | Stone | Staffs  
 ST15 8JS | Tel: 01785 819119  
[www.triflex.co.uk](http://www.triflex.co.uk) | [info@triflex.co.uk](mailto:info@triflex.co.uk)