




## DETAIL PROTECTION AND SURFACING



## DETAIL PROTECTION AND SURFACING




## MAIN AREA PROTECTION AND SURFACING



## NOTES

- 1 TRIFLEX CRYL PASTE OR TRIFLEX FLEXFILLER (REFER TO PROJECT SPECIFICATION)
- 2 SURFACE / REFLECTIVE CRACKING MAY OCCUR IN THE AGGREGATE FILLED FINISH




## GENERAL NOTES

This drawing and any reference to structural / thermal elements should be treated as indicative only and read in conjunction with the Triflex Project specification proposal and relevant Triflex technical data. Details should be verified for accuracy and suitability as we specifically exclude any liability for errors, omissions or otherwise.

The drawing should not be reproduced or amended except with the written permission of Triflex. Do not scale, use figured dimensions only, and check all dimensions on site.

## INDICATIVE SYSTEM BUILD-UP



## SYSTEM

TRIFLEX DCS-C WITH QUARTZ  
0.4 - 1.2mm

## PROJECT

STANDARD

## DETAIL

OVERBANDING CRACK  
GREATER THAN 0.5mm  
\_CONCRETE

## DRAWING NUMBER

DCS-C WITH QUARTZ\_071  
\_OVERBANDING CRACK  
GREATER THAN 0.5mm  
\_CONCRETE

## SCALE

NTS


## DATE

13/08/2018

**Triflex**  
Delivering solutions together

Triflex (UK) Limited

Whitebridge Way | Stone | Staffs  
ST15 8JS | Tel: 01785 819119  
www.triflex.co.uk | info@triflex.co.uk



CAR PARK | MARKINGS | REPAIRS