



## DETAIL WATERPROOFING



## MAIN AREA WATERPROOFING



## NOTES


- 1 AFTER LINING REBATE WITH TRIFLEX PRODETAIL, BED DRAINAGE CHANNEL IN TRIFLEX DECKFLOOR / TRIFLEX DECKFLOOR MORTAR
- 2 FOR INTERFACE BETWEEN CHANNEL SIDES AND WATERPROOFING FILL WITH TRIFLEX FLEXFILLER / TRIFLEX FLEXFILLER THIXO

## GENERAL NOTES

This drawing and any reference to structural / thermal elements should be treated as indicative only and read in conjunction with the Triflex Project specification proposal and relevant Triflex technical data. Details should be verified for accuracy and suitability as we specifically exclude any liability for errors, omissions or otherwise.

The drawing should not be reproduced or amended except with the written permission of Triflex. Do not scale, use figured dimensions only, and check all dimensions on site.

## INDICATIVE SYSTEM BUILD-UP



## SYSTEM

TRIFLEX DECKFLOOR WITH QUARTZ 0.7 - 1.2mm OR 0.4 - 1.2mm

## PROJECT

STANDARD

## DETAIL

DRAINAGE CHANNEL / GUTTER REMOVED

## DRAWING NUMBER

DECKFLOOR WITH QUARTZ  
\_102\_DRAINAGE CHANNEL  
\_GUTTER\_REMOVED

## SCALE

NTS

## DATE



13/08/2018

**Triflex**

Delivering solutions together

Triflex (UK) Limited

Whitebridge Way | Stone | Staffs  
ST15 8JS | Tel: 01785 819119  
www.triflex.co.uk | info@triflex.co.uk



CAR PARK | MARKINGS | REPAIRS