




## DETAIL WATERPROOFING



## BUILD UP REMOVAL TO PERIMETER TO ALLOW VENTING BEHIND UPSTAND ANGLE



## MAIN AREA WATERPROOFING



## NOTES


- 1 SEAL FLASHING USING MASTIC SEALANT
- 2 BED ANGLE WITH TRIFLEX CRYL PASTE C.A 1mm
- 3 METAL / GRP FLASHING
- 4 METAL / GRP ANGLE



ROOFS | ROOF DETAILS | REPAIRS

ASPHALT / COATED ASPHALT

CEMENTITIOUS SCREED




## GENERAL NOTES

This drawing and any reference to structural / thermal elements should be treated as indicative only and read in conjunction with the Triflex Project specification proposal and relevant Triflex technical data. Details should be verified for accuracy and suitability as we specifically exclude any liability for errors, omissions or otherwise.

The drawing should not be reproduced or amended except with the written permission of Triflex. Do not scale, use figured dimensions only, and check all dimensions on site.

## INDICATIVE SYSTEM BUILD-UP



## SYSTEM

TRIFLEX PROTECT® WITH COLOURED FINISH

## PROJECT

STANDARD

## DETAIL

PERIMETER VENTED UPSTAND

## DRAWING NUMBER

PROTECT\_CF\_023\_PERIMETER VENTED\_UPSTAND

## SCALE

NTS

## DATE

20/03/2019

## REVISION

A

**Triflex**  
 Delivering solutions together

Triflex (UK) Limited

Whitebridge Way | Stone | Staffs  
 ST15 8JS | Tel: 01785 819119  
[www.triflex.co.uk](http://www.triflex.co.uk) | [info@triflex.co.uk](mailto:info@triflex.co.uk)